

SAFETY DATA SHEET

Wheel Cleaner & Iron Remover

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

<i>Trade name:</i>	Wheel Cleaner & Iron Remover
<i>Product no.:</i>	1382
<i>Unique formula identifier (UFI):</i>	QJKS-U1U1-HJC6-WQ7U

1.2. Relevant identified uses of the substance or mixture and uses advised against

<i>Relevant identified uses of the substance or mixture:</i>	Cleaning liquid
<i>Uses advised against :</i>	None known.

1.3. Details of the supplier of the safety data sheet

<i>Company and address:</i>	Ditec International AB Dragrännan 2 S-746 50 BÅLSTA Sweden +46 10 344 74 50
<i>E-mail:</i>	info@ditecinternational.com
<i>Revision:</i>	02/02/2025
<i>SDS Version:</i>	1.0

1.4. Emergency telephone number

Healthcare professionals: Dial 0344 892 0111 to reach The National Poisons Information Service (NPIS) (24 hour service)
General public:
England - Dial 111 to reach NHS 111 (24 hour service)
Scotland - Dial 112 to reach NHS 24 (24 hour service)
Wales - Dial 111 or 0845 4647 to reach NHS Direct (24 hour service)
See section 4 "First aid measures".

SECTION 2: HAZARDS IDENTIFICATION

Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.1. Classification of the substance or mixture

Acute Tox. 4; H302, Harmful if swallowed.
Skin Sens. 1; H317, May cause an allergic skin reaction.

2.2. Label elements

Hazard pictogram(s):



<i>Signal word:</i>	Warning
<i>Hazard statement(s):</i>	Harmful if swallowed. (H302) May cause an allergic skin reaction. (H317)
<i>Precautionary statement(s):</i>	
<i>General:</i>	If medical advice is needed, have product container or label at hand. (P101) Keep out of reach of children. (P102)
<i>Prevention:</i>	Wear eye protection/protective gloves. (P280)
<i>Response:</i>	IF ON SKIN: Wash with plenty of water/water and soap. (P302+P352) If skin irritation or rash occurs: Get medical advice/attention. (P333+P313)
<i>Storage:</i>	-
<i>Disposal:</i>	Dispose of contents/container in accordance with local regulation (P501)
<i>Hazardous substances:</i>	Sodium mercaptoacetate Citral (R)-p-mentha-1,8-diene
<i>Additional labelling:</i>	UFI: QJKS-U1U1-HJC6-WQ7U
<i>Labelling of contents according to Detergents Regulation (EC) No 648/2004:</i>	< 5% · Anionic surfactants · Perfumes (CITRAL) · Perfumes (D-LIMONENE)

2.3. Other hazards

<i>Additional warnings:</i>	This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2023/707.
-----------------------------	---

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Sodium mercaptoacetate	CAS No.: 367-51-1 EC No.: 206-696-4 UK-REACH: Index No.:	10-15%	Met. Corr. 1, H290 Acute Tox. 3, H301 Acute Tox. 4, H312 Skin Sens. 1, H317	
2-(2-butoxyethoxy)ethanol	CAS No.: 112-34-5 EC No.: 203-961-6 UK-REACH:	3-5%	Eye Irrit. 2, H319	[1], [3]

	Index No.: 603-096-00-8			
Sodium p-cumenesulphonate	CAS No.: 15763-76-5 EC No.: 239-854-6 UK-REACH: Index No.:	1-3%	Eye Irrit. 2, H319	
Citral	CAS No.: 5392-40-5 EC No.: 226-394-6 UK-REACH: Index No.: 605-019-00-3	<0.25%	Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Irrit. 2, H319	[9]
(R)-p-mentha-1,8-diene	CAS No.: 5989-27-5 EC No.: 227-813-5 UK-REACH: Index No.: 601-096-00-2	<0.25%	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 3, H412	[9]

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[1] European occupational exposure limit.

[3] According to UK REACH, Annex XVII, the substance is subject to restrictions.

[9] Identified by EU as a fragrance ingredients, known to cause allergic contact dermatitis (Regulation (EC) No 1223/2009 on cosmetic products)

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General information:

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation:

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact:

IF ON SKIN: Wash with plenty of water/water and soap. Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. If skin irritation occurs: Get medical advice/attention.

Eye contact:

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

Ingestion:

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.

Burns:

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Sensitisation: This product contains substances, which may trigger allergic reaction upon dermal contact. Manifestation of allergic reactions typically takes place within 12-72 hours after exposure.

4.3. Indication of any immediate medical attention and special treatment needed

If skin irritation or rash occurs: Get medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Not applicable.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Sulphur oxides

Carbon oxides (CO / CO₂)

Some metal oxides

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

Ensure adequate ventilation, especially in confined areas.

Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.
See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material: Always store in containers of the same material as the original container.

Storage conditions: Room temperature 18 to 23°C

Incompatible materials: Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

2-(2-butoxyethoxy)ethanol

Long term exposure limit (8 hours) (ppm): 10

Long term exposure limit (8 hours) (mg/m³): 67.5

Short term exposure limit (15 minutes) (ppm): 15

Short term exposure limit (15 minutes) (mg/m³): 101.2

propane-1,2-diol

Long term exposure limit (8 hours) (ppm): 150(total)

Long term exposure limit (8 hours) (mg/m³): 474(total)/10(particulates)

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002.

EH40/2005 Workplace exposure limits (Fourth Edition 2020).

DNEL

2-(2-butoxyethoxy)ethanol

Duration:	Route of exposure:	DNEL:
Long term – Local effects - Workers	Inhalation	67.5 mg/m ³
Short term – Local effects - Workers	Inhalation	101.2 mg/m ³
Long term – Systemic effects - General population	Oral	6,25 mg/kg bw/day

propane-1,2-diol

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Inhalation	10 mg/m ³
Long term – Local effects - Workers	Inhalation	10 mg/m ³
Long term – Systemic effects - General population	Inhalation	50 mg/m ³

Long term – Systemic effects - Workers	Inhalation	168 mg/m ³
--	------------	-----------------------

Sodium mercaptoacetate

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - Workers	Dermal	2.06 mg/kg bw
Long term – Systemic effects - Workers	Inhalation	1.41 mg/m ³

Sodium p-cumenesulphonate

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Dermal	48 µg/cm ²
Long term – Local effects - Workers	Dermal	96 µg/cm ²
Long term – Systemic effects - General population	Dermal	68.1 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	191 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	6.6 mg/m ³
Long term – Systemic effects - Workers	Inhalation	37.4 mg/m ³
Long term – Systemic effects - General population	Oral	3.8 mg/kg bw/day

PNEC

2-(2-butoxyethoxy)ethanol

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		1.1 mg/L
Freshwater sediment		4.4 mg/kg dw
Intermittent release		11 mg/L
Marine water		0.11 mg/L
Marine water sediment		0.44 mg/kg dw
Soil		0.32 mg/kg dw

propane-1,2-diol

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		260 mg/L
Freshwater sediment		572 mg/kg dw
Intermittent release	-	183 mg/l
Marine water		26 mg/L
Marine water sediment		57.2 mg/kg dw
Sewage treatment plant		20000 mg/L
Soil		50 mg/kg dw

Sodium mercaptoacetate

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		0.038 mg/L
Marine water		0.0038 mg/L

Sodium p-cumenesulphonate

Route of exposure:	Duration of Exposure:	PNEC:
--------------------	-----------------------	-------

Freshwater		100 µg/L
Freshwater sediment		372 µg/kg
Intermittent release (freshwater)		1 mg/L
Marine water		10 µg/L
Marine water sediment		37.2 µg/kg
Sewage treatment plant		100 mg/L
Soil		16 µg/kg

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations:

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios:

There are no exposure scenarios implemented for this product.

Exposure limits:

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures:

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked. Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures:

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

Measures to avoid environmental exposure:

No specific requirements.

Individual protection measures, such as personal protective equipment

Generally:

Use only UKCA marked protective equipment.


Respiratory Equipment:

Type	Class	Colour	Standards	
No specific requirements				


Skin protection:

Recommended	Type/Category	Standards	
No specific requirements	-	-	

Hand protection:

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitrile	-	> 480	EN374-2, EN374-3, EN388	

Eye protection:

Type	Standards	
Safety glasses with side shields.	EN166	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

<i>Physical state:</i>	Liquid
<i>Colour:</i>	Red
<i>Odour / Odour threshold:</i>	Characteristic
<i>pH:</i>	7,5
<i>Density (g/cm³):</i>	1.07
<i>Kinematic viscosity:</i>	No relevant or available data due to the nature of the product.
<i>Particle characteristics:</i>	Does not apply to liquids.

Phase changes

<i>Melting point/Freezing point (°C):</i>	No relevant or available data due to the nature of the product.
<i>Softening point/range (°C):</i>	Does not apply to liquids.
<i>Boiling point (°C):</i>	No relevant or available data due to the nature of the product.
<i>Vapour pressure:</i>	No relevant or available data due to the nature of the product.
<i>Relative vapour density:</i>	No relevant or available data due to the nature of the product.
<i>Decomposition temperature (°C):</i>	No relevant or available data due to the nature of the product.

Data on fire and explosion hazards

<i>Flash point (°C):</i>	No relevant or available data due to the nature of the product.
<i>Flammability (°C):</i>	No relevant or available data due to the nature of the product.
<i>Auto-ignition temperature (°C):</i>	No relevant or available data due to the nature of the product.
<i>Lower and upper explosion limit (% v/v):</i>	No relevant or available data due to the nature of the product.

Solubility

<i>Solubility in water:</i>	Completely soluble
<i>n-octanol/water coefficient (LogKow):</i>	No relevant or available data due to the nature of the product.
<i>Solubility in fat (g/L):</i>	No relevant or available data due to the nature of the product.

9.2. Other information

Other physical and chemical parameters:

No data available.

Oxidizing properties:

No relevant or available data due to the nature of the product.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product/substance	Sodium mercaptoacetate
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	50-200 mg/kg

Product/substance	Sodium mercaptoacetate
Species:	Rat
Route of exposure:	Dermal
Test:	LD50
Result:	1000-2000 mg/kg

Product/substance	Sodium mercaptoacetate
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	>300 mg/kg
Other information:	46% Sodium mercaptoacetate

Product/substance	2-(2-butoxyethoxy)ethanol
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	>2000 mg/kg

Product/substance 2-(2-butoxyethoxy)ethanol
 Species: Rabbit
 Route of exposure: Dermal
 Test: LD50
 Result: 2764 mg/kg

Product/substance 2-(2-butoxyethoxy)ethanol
 Species: Rat
 Route of exposure: Inhalation
 Test: LC50
 Result: >29 ppm

Product/substance 2-(2-butoxyethoxy)ethanol
 Species: Mouse
 Route of exposure: Oral
 Test: LD50
 Result: 2410 mg/kg

Product/substance Sodium p-cumenesulphonate
 Species: Rat
 Route of exposure: Oral
 Test: LD50
 Result: >5000 mg/kg

Product/substance Sodium p-cumenesulphonate
 Species: Rat
 Route of exposure: Inhalation
 Test: LC50 (4 hours)
 Result: >5 mg/L

Product/substance Sodium p-cumenesulphonate
 Species: Rabbit
 Route of exposure: Dermal
 Test: LD50
 Result: >2000 - 5000 mg/kg

Product/substance propane-1,2-diol
 Species: Rat
 Route of exposure: Oral
 Test: LD50
 Result: 22000 mg/kg

Product/substance propane-1,2-diol
 Species: Rabbit
 Route of exposure: Dermal
 Test: LD50
 Result: >2000 mg/kg

Product/substance propane-1,2-diol
 Species: Rabbit
 Route of exposure: Inhalation
 Test: LC50 (2 hours)
 Result: >317042 mg/m³

Product/substance Citral
 Species: Rabbit
 Route of exposure: Dermal

Test: LD50
Result: 2250 mg/kg

Product/substance Citral
Species: Rat
Route of exposure: Oral
Test: LD50
Result: 6800 mg/kg

Product/substance (R)-p-mentha-1,8-diene
Species: Rabbit
Route of exposure: Dermal
Test: LD50
Result: >5000 mg/kg

Product/substance (R)-p-mentha-1,8-diene
Species: Rat
Route of exposure: Oral
Test: LD50
Result: 4400 mg/kg

Harmful if swallowed.

Skin corrosion/irritation

Product/substance 2-(2-butoxyethoxy)ethanol
Test method: OECD 404
Species: Rabbit
Result: No adverse effect observed (Not irritating)

Product/substance Sodium p-cumenesulphonate
Test method: OECD 404
Species: Rabbit
Result: Adverse effect observed (Slightly irritating)

Serious eye damage/irritation

Product/substance 2-(2-butoxyethoxy)ethanol
Test method: OECD 404
Species: Rabbit
Result: Adverse effect observed (Irritating)

Product/substance Sodium p-cumenesulphonate
Test method: OECD 405
Species: Rabbit
Result: Adverse effect observed (Moderately irritating)

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Product/substance Sodium mercaptoacetate
Test method: OECD 429
Species: Mouse
Result: Adverse effect observed (sensitising)

Product/substance 2-(2-butoxyethoxy)ethanol
Test method: OECD 406
Species: Guinea pig
Result: No adverse effect observed (not sensitising)

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

None known.

Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

Other information

(R)-p-mentha-1,8-diene has been classified by IARC as a group 3 carcinogen.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Product/substance Sodium mercaptoacetate
 Species: Daphnia, Daphnia magna
 Duration: 48 hours
 Test: EC50
 Result: 38 mg/L

Product/substance Sodium mercaptoacetate
 Species: Algae, Pseudokirchneriella subcapitata
 Duration: 72 hours
 Test: EC50
 Result: 13 mg/L

Product/substance Sodium mercaptoacetate
 Species: Fish, Oncorhynchus mykiss
 Duration: 96 hours
 Test: LC50
 Result: >100 mg/L

Product/substance 2-(2-butoxyethoxy)ethanol
 Species: Fish, Leuciscus idus
 Duration: 96 hours
 Test: LC50
 Result: >100 mg/L

Product/substance 2-(2-butoxyethoxy)ethanol
 Species: Algae, Scenedesmus subspicatus
 Duration: 96 hours

Test:	EC50
Result:	>100 mg/L
Product/substance	2-(2-butoxyethoxy)ethanol
Species:	Daphnia, Daphnia magna
Duration:	48 hours
Test:	EC50
Result:	>100 mg/L
Product/substance	Sodium p-cumenesulphonate
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	>100 mg/L
Product/substance	Sodium p-cumenesulphonate
Species:	Daphnia
Duration:	48 hours
Test:	EC50
Result:	>100 mg/L
Product/substance	Sodium p-cumenesulphonate
Species:	Algae
Duration:	96 hours
Test:	EC50
Result:	>100 mg/L
Product/substance	propane-1,2-diol
Species:	Fish, Oncorhynchus mykiss
Duration:	96 hours
Test:	LC50
Result:	40613 mg/L
Product/substance	propane-1,2-diol
Species:	Daphnia, Ceriodaphnia dubia
Duration:	48 hours
Test:	EC50
Result:	18340 mg/L
Product/substance	propane-1,2-diol
Species:	Algae, Pseudokirchneriella subcapitata
Duration:	96 hours
Test:	ErC50
Result:	19000 mg/L
Product/substance	Citral
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	4.6 mg/L
Product/substance	Citral
Species:	Daphnia
Duration:	48 hours
Test:	EC50
Result:	6.8 mg/L

Product/substance	Citral
Species:	Algae
Duration:	72 hours
Test:	IC50
Result:	103.8 mg/L

Product/substance	(R)-p-mentha-1,8-diene
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	0.8 mg/L

Product/substance	(R)-p-mentha-1,8-diene
Species:	Daphnia
Duration:	48 hours
Test:	EC50
Result:	69.6 mg/L

12.2. Persistence and degradability

Product/substance	Sodium mercaptoacetate
Conclusion:	Readily biodegradable
Test:	OECD 301 D

Product/substance	2-(2-butoxyethoxy)ethanol
Result:	100%
Conclusion:	Readily biodegradable
Test:	OECD 301 E

Product/substance	Sodium p-cumenesulphonate
Result:	>60%
Conclusion:	Readily biodegradable
Test:	OECD 301 B

Product/substance	propane-1,2-diol
Result:	81%
Conclusion:	Readily biodegradable
Test:	OECD 301 F

Product/substance	Citral
Result:	85-95%
Conclusion:	Readily biodegradable
Test:	OECD 301 C

Product/substance	(R)-p-mentha-1,8-diene
Conclusion:	Not biodegradable

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Product/substance	Sodium mercaptoacetate
LogKow:	-2.9900
Conclusion:	No potential for bioaccumulation

Product/substance	2-(2-butoxyethoxy)ethanol
LogKow:	1.0000
Conclusion:	No potential for bioaccumulation

Product/substance	Sodium p-cumenesulphonate
Conclusion:	No potential for bioaccumulation

Product/substance	propane-1,2-diol
LogKow:	-1.0700
Conclusion:	No potential for bioaccumulation

Product/substance	Citral
BCF:	89.72
Conclusion:	No potential for bioaccumulation

Product/substance	(R)-p-mentha-1,8-diene
LogKow:	5.3000
Conclusion:	Potential for bioaccumulation

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

12.7. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste. (*)

HP 6 - Acute toxicity

HP 13 - Sensitising

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

<i>EWC code:</i>	07 06 04*	Other organic solvents, washing liquids and mother liquors
------------------	-----------	--

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: TRANSPORT INFORMATION

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Envv**	Other informat ion:
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

* Packing group

** Environmental hazards

Additional information

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application:

People under the age of 18 shall not be exposed to this product.

Demands for specific education:

No specific requirements.

SEVESO - Categories / dangerous substances:

Not applicable.

REACH, Annex XVII:

2-(2-butoxyethoxy)ethanol is subject to restrictions, UK-REACH annex XVII (entry 55).
(R)-p-mentha-1,8-diene is subject to UK-REACH restrictions (entry 40).

Labelling of contents according to Detergents Regulation (EC) No 648/2004:

< 5%
· Anionic surfactants
· Perfumes (CITRAL)
· Perfumes (D-LIMONENE)

Additional information:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
Tactile warning.

Sources:

The Management of Health and Safety at Work Regulations 1999.
Regulation (EC) No 648/2004 on detergents as retained and amended in UK law.
Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.
Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: OTHER INFORMATION

Full text of H-phrases as mentioned in section 3

H226, Flammable liquid and vapour.
H290, May be corrosive to metals.
H301, Toxic if swallowed.
H304, May be fatal if swallowed and enters airways.
H312, Harmful in contact with skin.
H315, Causes skin irritation.
H317, May cause an allergic skin reaction.
H319, Causes serious eye irritation.
H400, Very toxic to aquatic life.
H412, Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
CAS = Chemical Abstracts Service
CE = Conformité Européenne (European conformity)
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
CSA = Chemical Safety Assessment
CSR = Chemical Safety Report
DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level
EINECS = European Inventory of Existing Commercial chemical Substances
ES = Exposure Scenario
EUH statement = CLP-specific Hazard statement
EuPCS = European Product Categorisation System
EWC = European Waste Catalogue
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
GWP = Global warming potential
IARC = International Agency for Research on Cancer (IARC)
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
OECD = Organisation for Economic Co-operation and Development
PBT = Persistent, Bioaccumulative and Toxic
PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
RRN = REACH Registration Number
SCL = A specific concentration limit
SVHC = Substances of Very High Concern
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure
STOT-SE = Specific Target Organ Toxicity - Single Exposure
TWA = Time weighted average
UN = United Nations
UVBC = Unknown or variable composition, complex reaction products or of biological materials
VOC = Volatile Organic Compound
vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The safety data sheet is validated by

-

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product.

Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en