

SAFETY DATA SHEET

H.D. Multi Cleaner +

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

<i>Trade name:</i>	H.D. Multi Cleaner +
<i>Product no.:</i>	1419
▼ <i>Unique formula identifier (UFI):</i>	FA06-HG5Y-CHCQ-DHR7

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture: Cleaning liquid

Uses advised against : None known.

1.3. Details of the supplier of the safety data sheet

<i>Company and address:</i>	Ditec International AB Dragrännan 2 S-746 50 BÅLSTA Sweden +46 10 344 74 50
<i>E-mail:</i>	info@ditecinternational.com
<i>Revision:</i>	26/08/2025
<i>SDS Version:</i>	3.0
<i>Date of previous version:</i>	03/02/2025 (2.0)

1.4. ▼ Emergency telephone number

Healthcare professionals: Dial 0344 892 0111 to reach The National Poisons Information Service (NPIS) (24 hour service)

General public:

England - Dial 111 to reach NHS 111 (24 hour service)

Scotland - Dial 111 to reach NHS 24 (24 hour service)

Wales - Dial 111 or 0845 4647 to reach NHS Direct (24 hour service)

See section 4 "First aid measures".

SECTION 2: HAZARDS IDENTIFICATION

Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.1. ▼ Classification of the substance or mixture

Skin Corr. 1; H314, Causes severe skin burns and eye damage.

Eye Dam. 1; H318, Causes serious eye damage.

2.2. Label elements

Hazard pictogram(s):



Signal word:

Danger

Hazard statement(s):

Causes severe skin burns and eye damage. (H314)

Precautionary statement(s):

General:

Keep out of reach of children. (P102)

▼ *Prevention:*

Do not breathe vapour/mist. (P260)

Wear face protection/protective gloves. (P280)

▼ *Response:*

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. (P303+P361+P353)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)

▼ *Storage:*

Not applicable.

▼ *Disposal:*

Dispose of contents/container in accordance with local regulation. (P501)

Hazardous substances:

1-Heptanol, 2-propyl-, 8EO

Disodium dioxido(oxo)silane pentahydrate

D-Glucopyranose, oligomers, decyl octyl glycosides

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

Additional labelling:

UFI: FA06-HG5Y-CHCQ-DHR7

Labelling of contents according to Detergents Regulation (EC) No 648/2004 (applicable to packaging of detergents sold to the general public):

>5% - <15%

· Non-ionic surfactants

< 5%

· Anionic surfactants

2.3. Other hazards

Additional warnings:

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2023/707.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable. This product is a mixture.

3.2. ▼ Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
1-Heptanol, 2-propyl-, 8EO	CAS No.: 160875-66-1 EC No.: UK-REACH: Index No.:	5-10%	Acute Tox. 4, H302 Eye Dam. 1, H318	
2-(2-butoxyethoxy)ethanol	CAS No.: 112-34-5 EC No.: 203-961-6 UK-REACH: Index No.: 603-096-00-8	5-10%	Eye Irrit. 2, H319	[1], [3]
Disodium dioxido(oxo)silane pentahydrate	CAS No.: 10213-79-3 EC No.: 600-279-4 UK-REACH: Index No.: 014-010-00-8	3-5%	Met. Corr. 1, H290 Skin Corr. 1B, H314 STOT SE 3, H335	
D-Glucopyranose, oligomers, decyl octyl glycosides	CAS No.: 68515-73-1 EC No.: 500-220-1 UK-REACH: Index No.:	3-5%	Eye Dam. 1, H318	[19]
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	CAS No.: 68891-38-3 EC No.: 500-234-8 UK-REACH: Index No.:	1-3%	Skin Irrit. 2, H315 Eye Dam. 1, H318 (SCL: 10.00 %) Eye Irrit. 2, H319 (SCL: 5.00 %) Aquatic Chronic 3, H412	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[1] European occupational exposure limit.

[3] According to UK REACH, Annex XVII, the substance is subject to restrictions.

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General information:

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation:

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

<i>Skin contact:</i>	Flush exposed area with water for a long time - at least 30 minutes. It may be necessary to flush for several hours. Use a comfortable water temperature (20-30 °C). Contact Poison Information/doctor/hospital for further advice on follow-up and treatment. Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. If skin irritation occurs: Get medical advice/attention.
<i>Eye contact:</i>	If in eyes: Flush eyes with plenty of water or salt water (20-30 °C) for at least 30 minutes and continue until irritation stops. Remove contact lenses. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.
<i>Ingestion:</i>	In the case of ingestion, contact a doctor immediately. If the person is conscious, give them water. DO NOT try to induce vomiting unless this is recommended by a doctor. Hold head facing down to prevent vomit from returning to the mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance.
<i>Burns:</i>	Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:
Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Not applicable.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Nitrogen oxides (NO_x)

Carbon oxides (CO / CO₂)
Some metal oxides

5.3. ▼ Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.
Ensure adequate ventilation, especially in confined areas.
Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.
Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.
Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.
See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid direct contact with the product.
Smoking, drinking and consumption of food is not allowed in the work area.
See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material: Always store in containers of the same material as the original container.

Storage conditions: 5 - 30°C

Incompatible materials: Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

2-(2-butoxyethoxy)ethanol

Long term exposure limit (8 hours) (ppm): 10

Long term exposure limit (8 hours) (mg/m³): 67.5

Short term exposure limit (15 minutes) (ppm): 15

Short term exposure limit (15 minutes) (mg/m³): 101.2

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002.

EH40/2005 Workplace exposure limits (Fourth Edition 2020).

▼ DNEL

2-(2-butoxyethoxy)ethanol

Duration:	Route of exposure:	DNEL:
Long term – Local effects - Workers	Inhalation	67.5 mg/m ³
Short term – Local effects - Workers	Inhalation	101.2 mg/m ³
Long term – Systemic effects - General population	Oral	6,25 mg/kg bw/day

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	1650 mg/kg
Long term – Systemic effects - Workers	Dermal	2750 mg/kg
Long term – Systemic effects - General population	Inhalation	52 mg/m ³
Long term – Systemic effects - Workers	Inhalation	175 mg/m ³
Long term – Systemic effects - General population	Oral	15 mg/kg

D-Glucopyranose, oligomers, decyl octyl glycosides

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	357000 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	595000 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	124 mg/m ³
Long term – Systemic effects - Workers	Inhalation	420 mg/m ³
Long term – Systemic effects - General population	Oral	35,7 mg/kg bw/day

Disodium dioxido(oxo)silane pentahydrate

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	0.74 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	1.49 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	1.55 mg/m ³

Long term – Systemic effects - Workers	Inhalation	6.22 mg/m ³
Long term – Systemic effects - General population	Oral	0.74 mg/kg bw/day

▼ PNEC

2-(2-butoxyethoxy)ethanol

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		1.1 mg/L
Freshwater sediment		4.4 mg/kg dw
Intermittent release		11 mg/L
Marine water		0.11 mg/L
Marine water sediment		0.44 mg/kg dw
Soil		0.32 mg/kg dw

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		0.24 mg/L
Freshwater sediment		0.917 mg/kg
Intermittent release		0.071 mg/L
Marine water		0.024 mg/L
Marine water sediment		0.092 mg/kg
Sewage treatment plant		10000 mg/L
Soil		7.5 mg/kg

D-Glucopyranose, oligomers, decyl octyl glycosides

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		0,176 mg/L
Freshwater sediment		1,516 mg/kg dw
Intermittent release		0,27 mg/L
Marine water		0,018 mg/L
Marine water sediment		0,152 mg/kg dw
Sewage treatment plant		560 mg/L
Soil		0,654 mg/kg dw

Disodium dioxido(oxo)silane pentahydrate

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater	-	7.5 mg/L
Intermittent release	-	7.5 mg/L
Marine water	-	1 mg/L
Sewage treatment plant	-	1000 mg/L

8.2. Exposure controls


Compliance with the given occupational exposure limits values should be controlled on a regular basis.

<i>General recommendations:</i>	Smoking, drinking and consumption of food is not allowed in the work area.
<i>Exposure scenarios:</i>	There are no exposure scenarios implemented for this product.
<i>Exposure limits:</i>	Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.
<i>Appropriate technical measures:</i>	The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked. Ensure that eyewash stations and safety showers are located within easy reach. Apply standard precautions during use of the product. Avoid inhalation of vapours.
<i>Hygiene measures:</i>	In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.
<i>Measures to avoid environmental exposure:</i>	Keep damming materials near the workplace. If possible, collect spillage during work.


Individual protection measures, such as personal protective equipment

- ▼ *Generally:* Wash contaminated clothing before reuse.
Use only UKCA marked protective equipment.


Respiratory Equipment:

Work situation	Type	Class	Colour	Standards	
When there is risk of formation of mist/aerosol	S/SL	P2	White	EN149	


Skin protection:

Recommended	Type/Category	Standards	
Dedicated work clothing should be worn	-	-	

▼ *Hand protection:*

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitrile	0,5	> 480	EN374-2, EN16523-13, EN388	

Eye protection:

Type	Standards	
Face shield alternatively safety glasses with side shields.	EN166	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

<i>Physical state:</i>	Liquid
<i>Colour:</i>	Pale yellow
<i>Odour / Odour threshold:</i>	Characteristic
<i>pH:</i>	13
<i>Density (g/cm³):</i>	1.075
▼ <i>Kinematic viscosity:</i>	No data available.
<i>Particle characteristics:</i>	Does not apply to liquids.

Phase changes

▼ <i>Melting point/Freezing point (°C):</i>	No data available.
<i>Softening point/range (°C):</i>	Does not apply to liquids.
▼ <i>Boiling point (°C):</i>	No data available.
▼ <i>Vapour pressure:</i>	No data available.
▼ <i>Relative vapour density:</i>	No data available.
▼ <i>Decomposition temperature (°C):</i>	No data available.

Data on fire and explosion hazards

▼ <i>Flash point (°C):</i>	No data available.
▼ <i>Flammability (°C):</i>	No data available.
▼ <i>Auto-ignition temperature (°C):</i>	No data available.
▼ <i>Lower and upper explosion limit (% v/v):</i>	No data available.

Solubility

<i>Solubility in water:</i>	Completely soluble
▼ <i>n-octanol/water coefficient (LogKow):</i>	No data available.
▼ <i>Solubility in fat (g/L):</i>	No data available.

9.2. Other information

<i>Other physical and chemical parameters:</i>	No data available.
▼ <i>Oxidizing properties:</i>	No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

Thermal decomposition may produce corrosive vapours.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

▼ Acute toxicity

Product/substance	1-Heptanol, 2-propyl-, 8EO
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	>300-2000 mg/kg

Product/substance	2-(2-butoxyethoxy)ethanol
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	>2000 mg/kg

Product/substance	2-(2-butoxyethoxy)ethanol
Species:	Rabbit
Route of exposure:	Dermal
Test:	LD50
Result:	2764 mg/kg

Product/substance	2-(2-butoxyethoxy)ethanol
Species:	Rat
Route of exposure:	Inhalation
Test:	LC50
Result:	>29 ppm

Product/substance	2-(2-butoxyethoxy)ethanol
Species:	Mouse
Route of exposure:	Oral
Test:	LD50

Result: 2410 mg/kg

Product/substance Disodium dioxido(oxo)silane pentahydrate
 Species: Rat
 Route of exposure: Oral
 Test: LD50
 Result: 1152-1349 mg/kg

Product/substance Disodium dioxido(oxo)silane pentahydrate
 Species: Rat
 Route of exposure: Dermal
 Test: LD50
 Result: >5000 mg/kg

Product/substance Disodium dioxido(oxo)silane pentahydrate
 Species: Rat
 Route of exposure: Inhalation
 Test: LC50
 Result: >2060 mg/m³

Product/substance D-Glucopyranose, oligomers, decyl octyl glycosides
 Species: Rabbit
 Route of exposure: Dermal
 Test: LD50
 Result: >2000 mg/kg

Product/substance D-Glucopyranose, oligomers, decyl octyl glycosides
 Species: Rat
 Route of exposure: Oral
 Test: LD50
 Result: >2000 mg/kg

Product/substance Alcohols, C12-14, ethoxylated, sulfates, sodium salts
 Species: Rat
 Route of exposure: Oral
 Test: LD50
 Result: >5000 mg/kg

Product/substance Alcohols, C12-14, ethoxylated, sulfates, sodium salts
 Species: Rat
 Route of exposure: Dermal
 Test: LD50
 Result: >5000 mg/kg

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Product/substance 2-(2-butoxyethoxy)ethanol
 Test method: OECD 404
 Species: Rabbit
 Result: No adverse effect observed (Not irritating)

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Product/substance	2-(2-butoxyethoxy)ethanol
Test method:	OECD 404
Species:	Rabbit
Result:	Adverse effect observed (Irritating)

Causes serious eye damage.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

▼ Skin sensitisation

Product/substance	2-(2-butoxyethoxy)ethanol
Test method:	OECD 406
Species:	Guinea pig
Result:	No adverse effect observed (not sensitising)

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

▼ Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

Other information

None known.

SECTION 12: ECOLOGICAL INFORMATION

12.1. ▼ Toxicity

Product/substance	1-Heptanol, 2-propyl-, 8EO
Species:	Fish, <i>Oncorhynchus mykiss</i>

Duration:	96 hours
Test:	LC50
Result:	10-100 mg/L
Product/substance	1-Heptanol, 2-propyl-, 8EO
Species:	Daphnia, Daphnia magna
Duration:	48 hours
Test:	EC50
Result:	10-100 mg/L
Product/substance	1-Heptanol, 2-propyl-, 8EO
Species:	Algae, Scenedesmus subspicatus
Duration:	72 hours
Test:	EC50
Result:	10-100 mg/L
Product/substance	2-(2-butoxyethoxy)ethanol
Species:	Fish, Leuciscus idus
Duration:	96 hours
Test:	LC50
Result:	>100 mg/L
Product/substance	2-(2-butoxyethoxy)ethanol
Species:	Algae, Scenedesmus subspicatus
Duration:	96 hours
Test:	EC50
Result:	>100 mg/L
Product/substance	2-(2-butoxyethoxy)ethanol
Species:	Daphnia, Daphnia magna
Duration:	48 hours
Test:	EC50
Result:	>100 mg/L
Product/substance	Disodium dioxido(oxo)silane pentahydrate
Species:	Fish, Brachydanio rerio
Duration:	96 hours
Test:	LC50
Result:	210 mg/L
Product/substance	Disodium dioxido(oxo)silane pentahydrate
Species:	Daphnia, Daphnia magna
Duration:	48 hours
Test:	EC50
Result:	1700 mg/L
Product/substance	D-Glucopyranose, oligomers, decyl octyl glycosides
Species:	Fish, Danio rerio
Duration:	96 hours
Test:	LC50
Result:	>100 mg/L

Product/substance	D-Glucopyranose, oligomers, decyl octyl glycosides
Species:	Daphnia, Daphnia magna
Duration:	48 hours
Test:	EC50
Result:	>100 mg/L
Product/substance	D-Glucopyranose, oligomers, decyl octyl glycosides
Species:	Fish, Danio rerio
Duration:	28 days
Test:	NOEC
Result:	1-10 mg/L
Product/substance	D-Glucopyranose, oligomers, decyl octyl glycosides
Species:	Daphnia, Danio rerio
Duration:	21 days
Test:	NOEC
Result:	1-10 mg/L
Product/substance	D-Glucopyranose, oligomers, decyl octyl glycosides
Species:	Algae, Scenedesmus subspicatus
Duration:	72 hours
Test:	EC50
Result:	10-100 mg/L
Product/substance	Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Species:	Fish, Leuciscus idus
Duration:	96 hours
Test:	LC50
Result:	10-100 mg/L
Product/substance	Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Species:	Daphnia, Daphnia magna
Duration:	48 hours
Test:	EC50
Result:	10-100 mg/L
Product/substance	Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Species:	Algae, Scenedesmus subspicatus
Duration:	72 hours
Test:	EC50
Result:	>100 mg/L
Product/substance	Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Species:	Daphnia, Daphnia magna
Test:	NOEC
Result:	0,1-1 mg/L
Product/substance	Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Species:	Fish, Leuciscus idus
Test:	NOEC
Result:	1-10 mg/L

Based on available data, the classification criteria are not met.

12.2. ▼ Persistence and degradability

Product/substance	1-Heptanol, 2-propyl-, 8EO
Conclusion:	Readily biodegradable
Test:	OECD 301 D

Product/substance	2-(2-butoxyethoxy)ethanol
Result:	100%
Conclusion:	Readily biodegradable
Test:	OECD 301 E

Product/substance	Disodium dioxido(oxo)silane pentahydrate
Conclusion:	Readily biodegradable

Product/substance	D-Glucopyranose, oligomers, decyl octyl glycosides
Conclusion:	Readily biodegradable

Product/substance	Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Conclusion:	Readily biodegradable

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3. ▼ Bioaccumulative potential

Product/substance	1-Heptanol, 2-propyl-, 8EO
Conclusion:	No potential for bioaccumulation

Product/substance	2-(2-butoxyethoxy)ethanol
LogKow:	1.0000
Conclusion:	No potential for bioaccumulation

Product/substance	Disodium dioxido(oxo)silane pentahydrate
Conclusion:	No potential for bioaccumulation

Product/substance	D-Glucopyranose, oligomers, decyl octyl glycosides
Conclusion:	No potential for bioaccumulation

Product/substance	Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Conclusion:	No potential for bioaccumulation

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. ▼ Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

12.7. Other adverse effects

None known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste. (*)

HP 8 – Corrosive

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code:

07 06 04*

Other organic solvents, washing liquids and mother liquors

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: TRANSPORT INFORMATION

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other informat ion:
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

* Packing group

** Environmental hazards

▼ Additional information

Not dangerous goods according to ADR, IATA and IMDG.

The product is not classified as dangerous goods in Class 8 according to the calculation method for ADR and RID, marginal number 2.2.8.1.6.3 up to 2.2.8.1.8.

The product is not classified as dangerous goods in Class 8 according to the calculation method for the IMDG Code, marginal number 2.8.4.3 up to 2.8.4.3.5.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

<i>Restrictions for application:</i>	People under the age of 18 shall not be exposed to this product.
<i>Demands for specific education:</i>	No specific requirements.
<i>SEVESO - Categories / dangerous substances:</i>	Not applicable.
<i>REACH, Annex XVII:</i>	2-(2-butoxyethoxy)ethanol is subject to restrictions, UK-REACH annex XVII (entry 55).
<i>Labelling of contents according to Detergents Regulation (EC) No 648/2004:</i>	>5% - <15% · Non-ionic surfactants < 5% · Anionic surfactants
<i>Additional information:</i>	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer. Tactile warning. If this product is sold in retail, it must be delivered with child-resistant fastening.
<i>Sources:</i>	The Management of Health and Safety at Work Regulations 1999. Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law. Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law. Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: OTHER INFORMATION

Full text of H-phrases as mentioned in section 3

- H290, May be corrosive to metals.
- H302, Harmful if swallowed.
- H314, Causes severe skin burns and eye damage.
- H315, Causes skin irritation.
- H318, Causes serious eye damage.
- H319, Causes serious eye irritation.

H335, May cause respiratory irritation.

H412, Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EuPCS = European Product Categorisation System

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

GWP = Global warming potential

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

▼ Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and

amended in UK law.

The classification of the substance/mixture in regard of skin corrosion and serious eye damage is based on the pH-criterion given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The safety data sheet is validated by

-

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product.

Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en