SAFETY DATA SHEET

Interior Cleaner

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Trade name:	Interior Cleaner
Product no.:	1380
Unique formula identifier (UFI):	X1X4-0JF2-CHCN-GH4H

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture:	Cleaning liquid
Uses advised against :	None known.

1.3. Details of the supplier of the safety data sheet

Company and address:	**Ditec International AB** Dragrännan 2 S-746 50 BÅLSTA Sweden +46 10 344 74 50
E-mail:	info@ditecinternational.com
Revision:	30/09/2025
SDS Version:	2.0
Date of previous version:	02/02/2025 (1.0)

1.4. ▼Emergency telephone number

Healthcare professionals: Dial 0344 892 0111 to reach The National Poisons Information Service (NPIS) (24 hour service)
General public:
England - Dial 111 to reach NHS 111 (24 hour service)
Scotland - Dial 111 to reach NHS 24 (24 hour service)
Wales - Dial 111 or 0845 4647 to reach NHS Direct (24 hour service)
See section 4 “First aid measures”.

SECTION 2: HAZARDS IDENTIFICATION

Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.1. Classification of the substance or mixture

Skin Corr. 1; H314, Causes severe skin burns and eye damage.

Eye Dam. 1; H318, Causes serious eye damage.

2.2. Label elements

Hazard pictogram(s):

Signal word:	Danger
Hazard statement(s):	Causes severe skin burns and eye damage. (H314)
Precautionary statement(s):	
General:	Keep out of reach of children. (P102)
Prevention:	Do not breathe vapour/mist. (P260) Wear eye protection/protective gloves. (P280)
▼*Response:*	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. (P303+P361+P353) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338) Immediately call a POISON CENTER/doctor. (P310)
▼*Storage:*	Not applicable.
▼*Disposal:*	Dispose of contents/container in accordance with local regulation. (P501)
Hazardous substances:	1-Heptanol, 2-propyl- , 8EO C8 Alkyl glucoside 1-Heptanol, 2-propyl- , 5EO Disodium dioxido(oxo)silane pentahydrate
Additional labelling:	UFI: X1X4-0JF2-CHCN-GH4H
Labelling of contents according to Detergents Regulation (EC) No 648/2004 (applicable to packaging of detergents sold to the general public):	>5% - <15% · Non-ionic surfactants < 5% · Perfumes

2.3. Other hazards

Additional warnings:	This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2023/707.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable. This product is a mixture.

3.2. ▼Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
propan-2-ol	CAS No.: 67-63-0 EC No.: 200-661-7 UK-REACH: Index No.: 603-117-00-0	3-5%	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	
1-Heptanol, 2-propyl- , 8EO	CAS No.: 160875-66-1 EC No.: UK-REACH: Index No.:	3-5%	Acute Tox. 4, H302 Eye Dam. 1, H318	
(2-methoxymethylethoxy)propanol	CAS No.: 34590-94-8 EC No.: 252-104-2 UK-REACH: Index No.:	3-5%		[1]
C8 Alkyl glucoside	CAS No.: EC No.: 414-420-0 UK-REACH: Index No.:	1-3%	Eye Dam. 1, H318	
1-Heptanol, 2-propyl- , 5EO	CAS No.: 160875-66-1 EC No.: 605-233-7 UK-REACH: Index No.:	1-3%	Eye Dam. 1, H318	
Disodium dioxido(oxo)silane pentahydrate	CAS No.: 10213-79-3 EC No.: 600-279-4 UK-REACH: Index No.: 014-010-00-8	1-3%	Met. Corr. 1, H290 Skin Corr. 1B, H314 STOT SE 3, H335	
Allyl heptanoate	CAS No.: 142-19-8 EC No.: 205-527-1 UK-REACH: Index No.:	<0.05%	Acute Tox. 3, H301 (ATE: 218.00 mg/kg) Acute Tox. 3, H311 (ATE: 810.00 mg/kg) Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1)	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[1] European occupational exposure limit.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General information:	In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.
Inhalation:	Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.
Skin contact:	Flush exposed area with water for a long time - at least 30 minutes. It may be necessary to flush for several hours. Use a comfortable water temperature (20-30 °C). Contact Poison Information/doctor/hospital for further advice on follow-up and treatment. Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. If skin irritation occurs: Get medical advice/attention.
Eye contact:	If in eyes: Flush eyes with plenty of water or salt water (20-30 °C) for at least 30 minutes and continue until irritation stops. Remove contact lenses. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.
Ingestion:	In the case of ingestion, contact a doctor immediately. If the person is conscious, give them water. DO NOT try to induce vomiting unless this is recommended by a doctor. Hold head facing down to prevent vomit from returning to the mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance.
Burns:	Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:
Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media
Not applicable.

5.2. Special hazards arising from the substance or mixture
Fire will result in dense smoke. Exposure to combustion products may harm your health.
Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.
If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:
Nitrogen oxides (NO_x)
Carbon oxides (CO / CO2)
Some metal oxides

5.3. ▼Advice for firefighters
Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures
Avoid direct contact with spilled substances.
Ensure adequate ventilation, especially in confined areas.
Contaminated areas may be slippery.

6.2. Environmental precautions
Avoid discharge to lakes, streams, sewers, etc.
Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up
Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.
Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections
See section 13 “Disposal considerations” on handling of waste.
See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling
Avoid direct contact with the product.
Smoking, drinking and consumption of food is not allowed in the work area.
See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material: Always store in containers of the same material as the original container.

Storage conditions: 5 - 30°C

Incompatible materials: Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

propan-2-ol
Long term exposure limit (8 hours) (ppm): 400
Long term exposure limit (8 hours) (mg/m^3): 999
Short term exposure limit (15 minutes) (ppm): 500
Short term exposure limit (15 minutes) (mg/m^3): 1250

(2-methoxymethylethoxy)propanol
Long term exposure limit (8 hours) (ppm): 50
Long term exposure limit (8 hours) (mg/m^3): 308
Annotations:
Sk = Can be absorbed through the skin and lead to systemic toxicity.

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002.
EH40/2005 Workplace exposure limits (Fourth Edition 2020).

DNEL

(2-methoxymethylethoxy)propanol

Duration:	**Route of exposure:**	**DNEL:**
Long term – Systemic effects - General population	Dermal	121 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	283 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	37.2 mg/m^3
Long term – Systemic effects - Workers	Inhalation	308 mg/kg
Long term – Systemic effects - General population	Oral	36 mg/kg bw/day

Disodium dioxido(oxo)silane pentahydrate

Duration:	**Route of exposure:**	**DNEL:**
Long term – Systemic effects - General population	Dermal	0.74 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	1.49 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	1.55 mg/m^3
Long term – Systemic effects - Workers	Inhalation	6.22 mg/m^3

Long term – Systemic effects - General population	Oral	0.74 mg/kg bw/day

propan-2-ol

Duration:	**Route of exposure:**	**DNEL:**
Long term – Systemic effects - General population	Dermal	319 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	888 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	89 mg/m³
Long term – Systemic effects - Workers	Inhalation	500 mg/m³
Long term – Systemic effects - General population	Oral	26 mg/kg bw/day

PNEC

(2-methoxymethylethoxy)propanol

Route of exposure:	**Duration of Exposure:**	**PNEC:**
Freshwater		19 mg/L
Freshwater sediment		70.2 mg/kg
Intermittent release		190 mg/L
Marine water		1.9 mg/L
Marine water sediment		7.02 mg/kg
Sewage treatment plant		4168 mg/L
Soil		2.74 mg/kg

Disodium dioxido(oxo)silane pentahydrate

Route of exposure:	**Duration of Exposure:**	**PNEC:**
Freshwater	-	7.5 mg/L
Intermittent release	-	7.5 mg/L
Marine water	-	1 mg/L
Sewage treatment plant	-	1000 mg/L

propan-2-ol

Route of exposure:	**Duration of Exposure:**	**PNEC:**
Freshwater		140.9 mg/L
Freshwater sediment		552 mg/kg
Intermittent release		140.9 mg/L
Marine water		140.9 mg/L
Marine water sediment		552 mg/kg
Sewage treatment plant		2251 mg/L
Soil		28 mg/kg

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations: Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios:	There are no exposure scenarios implemented for this product.
Exposure limits:	Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.
Appropriate technical measures:	The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked. Ensure that eyewash stations and safety showers are located within easy reach. Apply standard precautions during use of the product. Avoid inhalation of vapours.
Hygiene measures:	In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.
Measures to avoid environmental exposure:	Keep damming materials near the workplace. If possible, collect spillage during work.

Individual protection measures, such as personal protective equipment

Generally: Wash contaminated clothing before reuse.
Use only UKCA marked protective equipment.

Respiratory Equipment:

Type	Class	Colour	Standards	
Respiratory protection is not needed in the event of adequate ventilation.				

Skin protection:
No specific requirements.

Hand protection:

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitrile	-	> 480	EN374-2, EN374-3, EN388	

Eye protection:

Type	Standards	
Safety glasses with side shields.	EN166	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	Green
Odour / Odour threshold:	Pleasant
pH:	12.5-13.5
Density (g/cm^3):	1,03-1,05
▼*Kinematic viscosity:*	No data available.
Particle characteristics:	Does not apply to liquids.

Phase changes

▼*Melting point/Freezing point (°C):*	No data available.
Softening point/range (°C):	Does not apply to liquids.
▼*Boiling point (°C):*	No data available.
▼*Vapour pressure:*	No data available.
▼*Relative vapour density:*	No data available.
▼*Decomposition temperature (°C):*	No data available.

Data on fire and explosion hazards

▼*Flash point (°C):*	No data available.
▼*Flammability (°C):*	No data available.
▼*Auto-ignition temperature (°C):*	No data available.
▼*Lower and upper explosion limit (% v/v):*	No data available.

Solubility

Solubility in water:	Completely soluble
▼*n-octanol/water coefficient (LogKow):*	No data available.
▼*Solubility in fat (g/L):*	No data available.

9.2. Other information

Other physical and chemical parameters:	No data available.
▼*Oxidizing properties:*	No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 “Handling and storage”.

10.3. Possibility of hazardous reactions
None known.

10.4. Conditions to avoid
None known.

10.5. Incompatible materials
Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products
Thermal decomposition may produce corrosive vapours.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

▼Acute toxicity

Product/substance	propan-2-ol
Test method:	OECD 401
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	5840 mg/kg

Product/substance	propan-2-ol
Test method:	OECD 403
Species:	Rat
Route of exposure:	Inhalation
Test:	LC50 (vapour)
Result:	>25 mg/L

Product/substance	propan-2-ol
Test method:	OECD 402
Species:	Rabbit
Route of exposure:	Dermal
Test:	LD50
Result:	13900 mg/kg

Product/substance	1-Heptanol, 2-propyl- , 8EO
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	>300-2000 mg/kg

Product/substance	(2-methoxymethylethoxy)propanol
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	>5000 mg/kg

Product/substance	(2-methoxymethylethoxy)propanol
Species:	Rabbit
Route of exposure:	Dermal

Test:	LD50
Result:	9510 mg/kg

Product/substance	(2-methoxymethylethoxy)propanol
Species:	Rat
Route of exposure:	Inhalation
Test:	LC50 (vapour)
Result:	3.35 mg/L

Product/substance	C8 Alkyl glucoside
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	>2000-5000 mg/kg

Product/substance	C8 Alkyl glucoside
Species:	Rat
Route of exposure:	Dermal
Test:	LD50
Result:	>5000 mg/kg

Product/substance	1-Heptanol, 2-propyl- , 5EO
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	>2000 mg/kg

Product/substance	Disodium dioxido(oxo)silane pentahydrate
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	1152-1349 mg/kg

Product/substance	Disodium dioxido(oxo)silane pentahydrate
Species:	Rat
Route of exposure:	Dermal
Test:	LD50
Result:	>5000 mg/kg

Product/substance	Disodium dioxido(oxo)silane pentahydrate
Species:	Rat
Route of exposure:	Inhalation
Test:	LC50
Result:	>2060 mg/m³

Based on available data for the mixture, the classification criteria are not met.

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes serious eye damage.

▼Respiratory sensitisation

Based on available data for the mixture, the classification criteria are not met.

▼Skin sensitisation

Based on available data for the mixture, the classification criteria are not met.

▼Germ cell mutagenicity

Based on available data for the mixture, the classification criteria are not met.

▼Carcinogenicity

Based on available data for the mixture, the classification criteria are not met.

▼Reproductive toxicity

Based on available data for the mixture, the classification criteria are not met.

▼STOT-single exposure

Based on available data for the mixture, the classification criteria are not met.

▼STOT-repeated exposure

Based on available data for the mixture, the classification criteria are not met.

▼Aspiration hazard

Based on available data for the mixture, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

▼Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

Other information

propan-2-ol has been classified by IARC as a group 3 carcinogen.

SECTION 12: ECOLOGICAL INFORMATION

12.1. ▼Toxicity

Product/substance	propan-2-ol
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	>100 mg/L

Product/substance	propan-2-ol
Species:	Algae
Duration:	8 d
Test:	LOEC
Result:	1000 mg/L

Product/substance	propan-2-ol
Species:	Daphnia, Daphnia magna
Duration:	48 hours

Test:	LC50
Result:	>100 mg/L

Product/substance	propan-2-ol
Species:	Algae
Duration:	72 hours
Test:	EC50
Result:	>100 mg/L

Product/substance	1-Heptanol, 2-propyl- , 8EO
Species:	Fish, Oncorhynchus mykiss
Duration:	96 hours
Test:	LC50
Result:	10-100 mg/L

Product/substance	1-Heptanol, 2-propyl- , 8EO
Species:	Daphnia, Daphnia magna
Duration:	48 hours
Test:	EC50
Result:	10-100 mg/L

Product/substance	1-Heptanol, 2-propyl- , 8EO
Species:	Algae, Scenedesmus subspicatus
Duration:	72 hours
Test:	EC50
Result:	10-100 mg/L

Product/substance	(2-methoxymethylethoxy)propanol
Species:	Fish, Poecilia reticulata
Duration:	96 hours
Test:	LC50
Result:	>1000 mg/L

Product/substance	(2-methoxymethylethoxy)propanol
Species:	Daphnia, Daphnia magna
Duration:	48 hours
Test:	EC50
Result:	1919 mg/L

Product/substance	(2-methoxymethylethoxy)propanol
Species:	Daphnia, Daphnia magna
Duration:	22 d
Test:	NOEC
Result:	0.5 mg/L

Product/substance	(2-methoxymethylethoxy)propanol
Species:	Algae, Pseudokirchneriella subcapitata
Duration:	72 hours
Test:	EC50
Result:	>969 mg/L

Product/substance	C8 Alkyl glucoside

Species:	Fish, Oncorhynchus mykiss
Duration:	96 hours
Test:	LC50
Result:	>310 mg/L

Product/substance	C8 Alkyl glucoside
Species:	Daphnia, Daphnia magna
Duration:	48 hours
Test:	EC50
Result:	>100 mg/L

Product/substance	C8 Alkyl glucoside
Species:	Algae, Selenastrum capricornutum
Duration:	72 hours
Test:	EC50
Result:	>100 mg/L

Product/substance	1-Heptanol, 2-propyl- , 5EO
Species:	Fish, Oncorhynchus mykiss
Duration:	96 hours
Test:	LC50
Result:	10-100 mg/L

Product/substance	1-Heptanol, 2-propyl- , 5EO
Species:	Daphnia, Daphnia magna
Duration:	48 hours
Test:	EC50
Result:	10-100 mg/L

Product/substance	Disodium dioxido(oxo)silane pentahydrate
Species:	Fish, Brachydanio rerio
Duration:	96 hours
Test:	LC50
Result:	210 mg/L

Product/substance	Disodium dioxido(oxo)silane pentahydrate
Species:	Daphnia, Daphnia magna
Duration:	48 hours
Test:	EC50
Result:	1700 mg/L

Based on available data for the mixture, the classification criteria are not met.

12.2. Persistence and degradability

Product/substance	propan-2-ol
Conclusion:	Readily biodegradable

Product/substance	1-Heptanol, 2-propyl- , 8EO
Conclusion:	Readily biodegradable
Test:	OECD 301 D

Product/substance	(2-methoxymethylethoxy)propanol
Result:	75%

Conclusion:	Readily biodegradable
Test:	OECD 301 F

Product/substance	C8 Alkyl glucoside
Conclusion:	Readily biodegradable
Test:	OECD 301 D

Product/substance	1-Heptanol, 2-propyl- , 5EO
Conclusion:	Readily biodegradable
Test:	OECD 301 D

Product/substance	Disodium dioxido(oxo)silane pentahydrate
Conclusion:	Readily biodegradable

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Product/substance	propan-2-ol
LogKow:	0.0500
Conclusion:	No potential for bioaccumulation

Product/substance	1-Heptanol, 2-propyl- , 8EO
Conclusion:	No potential for bioaccumulation

Product/substance	(2-methoxymethylethoxy)propanol
LogKow:	0.0060
Conclusion:	No potential for bioaccumulation

Product/substance	C8 Alkyl glucoside
Conclusion:	No potential for bioaccumulation

Product/substance	1-Heptanol, 2-propyl- , 5EO
Conclusion:	No potential for bioaccumulation

Product/substance	Disodium dioxido(oxo)silane pentahydrate
Conclusion:	No potential for bioaccumulation

12.4. Mobility in soil

(2-methoxymethylethoxy)propanol
LogKoc = 0.28, High mobility potential.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. ▼Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

12.7. Other adverse effects
None known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods
Product is covered by the regulations on hazardous waste. (*)
HP 8 – Corrosive
Dispose of contents/container to an approved waste disposal plant.
Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code: 07 06 04*
Other organic solvents, washing liquids and mother liquors

Contaminated packing
Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: TRANSPORT INFORMATION

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

* Packing group
** Environmental hazards

▼Additional information
Not dangerous goods according to ADR, IATA and IMDG.
The product is not classified as dangerous goods in Class 8 according to the calculation method for ADR and RID, marginal number 2.2.8.1.6.3 up to 2.2.8.1.8.
The product is not classified as dangerous goods in Class 8 according to the calculation method for the IMDG Code, marginal number 2.8.4.3 up to 2.8.4.3.5.

14.6. Special precautions for user
Not applicable.

14.7. Maritime transport in bulk according to IMO instruments
No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
Restrictions for application: People under the age of 18 shall not be exposed to this product.

Demands for specific education:	No specific requirements.
SEVESO - Categories / dangerous substances:	Not applicable.
REACH, Annex XVII:	propan-2-ol is subject to UK-REACH restrictions (entry 40).
Labelling of contents according to Detergents Regulation (EC) No 648/2004:	>5% - <15% · Non-ionic surfactants < 5% · Perfumes
Additional information:	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer. Tactile warning. If this product is sold in retail, it must be delivered with child-resistant fastening.
Sources:	The Management of Health and Safety at Work Regulations 1999. The Health and Safety at Work etc. Act 1974 Regulations 2013. Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law. Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law. Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: OTHER INFORMATION

▼Full text of H-phrases as mentioned in section 3

H225, Highly flammable liquid and vapour.
H290, May be corrosive to metals.
H301, Toxic if swallowed.
H302, Harmful if swallowed.
H311, Toxic in contact with skin.
H314, Causes severe skin burns and eye damage.
H318, Causes serious eye damage.

H319, Causes serious eye irritation.
H335, May cause respiratory irritation.
H336, May cause drowsiness or dizziness.
H400, Very toxic to aquatic life.
H410, Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
CAS = Chemical Abstracts Service
CE = Conformité Européenne (European conformity)
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
CSA = Chemical Safety Assessment
CSR = Chemical Safety Report
DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level
EINECS = European Inventory of Existing Commercial chemical Substances
ES = Exposure Scenario
EUH statement = CLP-specific Hazard statement
EuPCS = European Product Categorisation System
EWC = European Waste Catalogue
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
GWP = Global warming potential
IARC = International Agency for Research on Cancer (IARC)
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
OECD = Organisation for Economic Co-operation and Development
PBT = Persistent, Bioaccumulative and Toxic
PNEC = Predicted No Effect Concentration
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
RRN = REACH Registration Number
SCL = A specific concentration limit
SVHC = Substances of Very High Concern
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure
STOT-SE = Specific Target Organ Toxicity - Single Exposure
TWA = Time weighted average
UN = United Nations
UVBC = Unknown or variable composition, complex reaction products or of biological materials
VOC = Volatile Organic Compound
vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.
The classification of the substance/mixture in regard of skin corrosion and serious eye damage is based on the pH-criterion given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The safety data sheet is validated by

-

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.
The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.
It is recommended to hand over this safety data sheet to the actual user of the product.
Information in this safety data sheet cannot be used as a product specification.
Country-language: GB-en