

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.05.2021

Revision: 06.05.2021

Finding date 00.05.20	21	Revision. 00.03.2021
undertaking		ce/mixture and of the company/
· 1.1 Product iden	tifier	
· Trade name: <u>ALI</u>	KALINE DEGREASER	
 Sector of Use SU3 Industrial us 	90-2305/25 ntified uses of the substance or mixt ses: Uses of substances as such or in p the substance / the mixture Exterior ve	preparations at industrial sites
 Manufacturer/Su Ditec Internationa Ahrenbergs Brygg S-195 61 ARLANI Sweden 	ÎĂB	
info@ditecinterna		
Tel: +46 10 344 7		
• 1.4 Emergency to	elephone number: I akuta fall: Ring 11	12, begär giftinformation.
SECTION 2: H	lazards identification	
Classification ac	n of the substance or mixture cording to Regulation (EC) No 1272/ n 14 Causes severe skin burns and eye 18 Causes serious eye damage.	
The product is cla Hazard pictograu Signal word Dan	ling to Regulation (EC) No 1272/2008 Issified and labelled according to the Cl ms GHS05 ger	
Alcohols C9-C11, disodium silicate p · Hazard statemen	pentahydrate h ts rere skin burns and eye damage.	
		diately all contaminated clothing. Rinse skin
P305+P351+P338 P310 P321 P405		2/doctor.
P501	Dispose of contents/container in	accordance with local/regional/national/
	international regulations.	(Contd. on page 2)



Page 2/8

(Contd. of page 1)

Revision: 06.05.2021

Printing date 06.05.2021

Trade name: ALKALINE DEGREASER

· 2.3 Other hazards

Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

CAS: 5064-31-3	trisodium nitrilotriacetate	2.5-5%
EINECS: 225-768-6	🚸 Carc. 2, H351	
Reg.nr.: 01-2119519239-36-	📀 Met. Corr.1, H290	
0000	🔥 Acute Tox. 4, H302; Eye Irrit. 2, H319	
CAS: 68439-46-3	Alcohols C9-C11,ethoxylated	2.5-5%
EC number: 614-482-0 Reg.nr.: 01-2119980051-45- 0000	< Eye Dam. 1, H318	
CAS: 10213-79-3	disodium silicate pentahydrate	2.5-5%
EINECS: 229-912-9 Reg.nr.: 01-2119449811-37- xxxx		
CAS: 308062-28-4	Amines C12-14 alkyldimethyl,N-Oxides	0-2.5%
EC number: 931-292-6	🔶 Eye Dam. 1, H318	
Reg.nr.: 01-2119490061-47-	Aquatic Acute 1, H400; Aquatic Chronic 2, H411	
XXXX	🔥 Acute Tox. 4, H302; Skin Irrit. 2, H315	

regulation 648/2004/EC

NTA (nitrilotriacetic acid) and salts thereof, non-ionic surfactants, amphoteric surfactants, <5% colouring agent

• Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· After inhalation Supply fresh air; consult doctor in case of complaints.

- After skin contact If skin irritation continues, consult a doctor.
- · After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. • After swallowing Rinse out mouth and then drink plenty of water.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

(Contd. on page 3)



Printing date 06.05.2021

Revision: 06.05.2021

Trade name: ALKALINE DEGREASER

(Contd. of page 2)

Page 3/8

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents Use fire extinguishing methods suitable to surrounding conditions.

 \cdot 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

5.3 Advice for firefighters

· Protective equipment: No special measures required.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Not required. • 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water.

Do not allow to enter sewers /surface or ground water drains.

• **6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders). Ensure adequate ventilation.

• 6.4 Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Risk of serious damage to eyes.

· Information about fire - and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

• Additional information about design of technical facilities: No further data; see item 7.

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs

308062-28-4 Amines C12-14 alkyldimethyl,N-Oxides

Oral LD50 1,064 mg/kg (rat)

· Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)

GB



Page 4/8

Revision: 06.05.2021

Printing date 06.05.2021 Trade name: ALKALINE DEGREASER (Contd. of page 3) · 8.2 Exposure controls · Personal protective equipment · General protective and hygienic measures Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Do not inhale dust / smoke / mist. Avoid contact with the skin. Avoid contact with the eyes and skin. · Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. · Protection of hands: Rubber gloves · Material of gloves Natural rubber, NR Nitrile rubber, NBR · Penetration time of glove material The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended. Eye protection: Safety glasses Goggles recommended during refilling. SECTION 9: Physical and chemical properties · 9.1 Information on basic physical and chemical properties · General Information · Appearance: Form: Liquid Colour: Red Characteristic · Odour: · Odour threshold: Not determined. 13.5 · pH-value at 20 °C: · Change in condition Melting point/freezing point: undetermined Initial boiling point and boiling range: 100 °C · Flash point: Not applicable · Flammability (solid, gaseous) Not applicable. · Decomposition temperature: Not determined.

• Explosive properties: Product does not present an explosion hazard. · Explosion limits: Not determined. Lower: Not determined. Upper: 23 hPa · Vapour pressure at 20 °C:

Product is not selfigniting.

· Auto-ignition temperature:

(Contd. on page 5)



Printing date 06.05.2021

Revision: 06.05.2021

Page 5/8

Trade name: ALKALINE DEGREASER

	(Contd. of page 4
· Density at 20 °C:	1.064 g/cm³
· Relative density	Not determined.
· Vapour density	Not determined.
Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
dynamic:	Not determined.
kinematic:	Not determined.
• 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions No dangerous reactions known

10.4 Conditions to avoid No further relevant information available.

· 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation
- Causes severe skin burns and eye damage.
- · Serious eye damage/irritation
- Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

· 12.2 Persistence and degradability Easily biodegradable

GB



Revision: 06.05.2021 Trade name: ALKALINE DEGREASER (Contd. of page 5)

- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:

Printing date 06.05.2021

- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water. Do not allow product to reach ground water or water course.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pHvalues. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

• **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation Do not allow product to reach ground water or water course.

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

• **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
 14.5 Environmental hazards: Marine pollutant: 	No	
· 14.6 Special precautions for user	Not applicable.	
 14.7 Transport in bulk according to An of Marpol and the IBC Code 	nex II Not applicable.	
		(Contd. on page 7



Printing date 06.05.2021

Revision: 06.05.2021

(Contd. of page 6)

Page 7/8

Trade name: ALKALINE DEGREASER

· UN "Model Regulation":

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Void

- Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.
- Hazard pictograms GHS05
- Signal word Danger
- Hazard-determining components of labelling:
- Alcohols C9-C11,ethoxylated
- disodium silicate pentahydrate • Hazard statements
- H314 Causes severe skin burns and eye damage.
- · Precautionary statements
- P260 Do not breathe dusts or mists.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- P310 Immediately call a POISON CENTER/doctor.
- P321 Specific treatment (see on this label).
- P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/ international regulations.

· National regulations

· Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H290 May be corrosive to metals.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H351 Suspected of causing cancer.
H400 Very toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.

- · Department issuing SDS: Technical Department.
- Contact: Mr N Wardlaw

(Contd. on page 8)



Printing date 06.05.2021

Safety data sheet according to 1907/2006/EC, Article 31

Page 8/8

Revision: 06.05.2021

Trade name: ALKALINE DEGREASER

(Contd. of page 7) Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Carc. 2: Carcinogenicity - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 GB