

Page 1/6

GB

Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 10.05.2021

Revision: 10.05.2021

SECTION 1: Identification of the substance/mixture and of the company/ undertaking
· 1.1 Product identifier
· Trade name: <u>SEAL &amp; PROTECT</u>
<ul> <li>Article number: 90-2405-500</li> <li>1.2 Relevant identified uses of the substance or mixture and uses advised against</li> <li>Sector of Use</li> <li>SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites</li> <li>Application of the substance / the mixture Coating</li> </ul>
<ul> <li>• 1.3 Details of the supplier of the safety data sheet</li> <li>• Manufacturer/Supplier: Ditec International AB</li> <li>Ahrenbergs Brygga 32</li> <li>S-195 61 ARLANDASTAD (Stockholm)</li> <li>Sweden</li> </ul>
<ul> <li>Further information obtainable from: info@ditecinternational.com Tel: +46 10 344 74 50</li> <li>1.4 Emergency telephone number: I akuta fall: Ring 112, begär giftinformation.</li> </ul>

## SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation.

### · 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Precautionary statements Keep out of reach of children.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
CAS: 111-76-2	2-butoxyethanol	2.5-5%
EINECS: 203-905-0 Reg.nr.: 01-2119475108-36-	Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319	
0000	·,·····,······························	
CAS: 64-17-5	ethanol	0-2.5%
EINECS: 200-578-6	<ul> <li>Flam. Liq. 2, H225</li> <li>Eye Irrit. 2, H319</li> </ul>	
Reg.nr.: 01-2119457610-43	♦ Eye Irrit. 2, H319	
	(Contd.	on page 2)



Printing date 10.05.2021

Revision: 10.05.2021

Page 2/6

### Trade name: SEAL & PROTECT

(Contd. of page 1) • Additional information For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

4.1 Description of first aid measures

- · General information No special measures required.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing Rinse out mouth and then drink plenty of water.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

### SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

### SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Dilute with plenty of water.
- Do not allow to enter sewers /surface or ground water drains.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).
- 6.4 Reference to other sections No dangerous substances are released. See Section 7 for information on safe handling
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

## SECTION 7: Handling and storage

7.1 Precautions for safe handling No special measures required.

· Information about fire - and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.

(Contd. on page 3)



Printing date 10.05.2021

Revision: 10.05.2021

### Trade name: SEAL & PROTECT

· 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

· 8.1 Control parameters

• Additional information about design of technical facilities: No further data; see item 7.

· Ingredients with limit values that require monitoring at the workplace:

### 111-76-2 2-butoxyethanol WEL Short-term value: 246 mg/m<sup>3</sup>, 50 ppm Long-term value: 123 mg/m<sup>3</sup>, 25 ppm Sk, BMGV 64-17-5 ethanol WEL Long-term value: 1920 mg/m<sup>3</sup>, 1000 ppm Ingredients with biological limit values: 111-76-2 2-butoxyethanol BMGV 240 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: butoxyacetic acid · Additional information: The lists valid during the making were used as basis. · 8.2 Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures are to be adhered to when handling chemicals. Respiratory protection: Not required. Protection of hands: Rubber gloves · Material of gloves Natural rubber, NR · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Not required.

# SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical properties		
· General Information · Appearance:		
Form:	Liquid	
Colour: · Odour:	Whitish	
	Pleasant	
· Odour threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/freezing point:	undetermined	
Initial boiling point and boiling ra	nge: undetermined	
		(Contd. on page 4)

(Contd. of page 2)

GB

Page 3/6



Printing date 10.05.2021

Revision: 10.05.2021

### Trade name: SEAL & PROTECT

	(Contd. of page 3	
Flash point:	67 °C	
Flammability (solid, gaseous)	Not applicable.	
Ignition temperature:	240 °C	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure at 20 °C:	23 hPa	
Density at 20 °C:	0.996 g/cm³	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
dynamic:	Not determined.	
kinematic:	Not determined.	
9.2 Other information	No further relevant information available.	

### **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known

## **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.

(Contd. on page 5)

Page 4/6



Printing date 10.05.2021

Revision: 10.05.2021

### Trade name: SEAL & PROTECT

(Contd. of page 4)

Page 5/6

- · Carcinogenicity Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

## SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

- · Recommendation Do not allow product to reach ground water or water course.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN-Number		
ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	



Printing date 10.05.2021

Revision: 10.05.2021

### Trade name: SEAL & PROTECT

<sup>.</sup> 14.6 Special precautions for user

Not applicable.

Void

Not applicable.

 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

· UN "Model Regulation":

## **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · National regulations
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H225 Highly flammable liquid and vapour. H302 Harmful if swallowed. H312 Harmful in contact with skin. H315 Causes skin irritation. H319 Causes serious eye irritation. H332 Harmful if inhaled.

- · Department issuing SDS: Technical Department.
- · Contact: Mr N Wardlaw
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

(Contd. of page 5)

Page 6/6