

SAFETY DATA SHEET

ECTION 1: Identi	fication of the substance/mixture and of the company/undertaking
1.1. Product ider	ntifier
Trade name	
Ditec Insec	t Remover
Product no.	
1206	
Unique formı	ıla identifier (UFI)
6JPR-TEVD-	8HC9-WP1S
	ntified uses of the substance or mixture and uses advised against ntified uses of the substance or mixture
Cleaning lic	μid
Uses advised	against
None know	ın.
1.3. Details of th	e supplier of the safety data sheet
Company and	l address
Ditec Inter	rnational AB
Ahrenberg	s Brygga 32
S-195 61 A	RLANDASTAD (Stockholm)
Sweden	
+46 10 344	74 50
E-mail	
info@diteci	international.com
Revision	
07/03/2023	3
SDS Version	
1.0	
Contact The	t elephone number e National Poisons Information Service (dial 111, 24 h service). n 4 "First aid measures".
ECTION 2: Hazard	
	n of the substance or mixture
	319, Causes serious eye irritation.
-	-
2.2. Label eleme	
Hazard pictog	jram(s)
Circumstan	
Signal word	
Warning	mont(c)
Hazard stater	
	ious eye irritation. (H319)
Safety statem General	
	ical advice is peeded, have preduct container or label at band (D101)
	ical advice is needed, have product container or label at hand. (P101)
	ut of reach of children. (P102)
Prevention	
	nands thoroughly after handling. (P264)
	eye protection/protective gloves. (P280)
Vacnonco	
Response	VEC Dince continuely with water for coveral minutes. Demons contact langes if areas at a series
IF IN E	YES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to ntinue rinsing. (P305+P351+P338)



If eye irritation persists: Get medical advice/attention. (P337+P313) Storage Disposal **Hazardous substances** None known. **Additional labelling** UFI: 6JPR-TEVD-8HC9-WP1S 2.3. Other hazards **Additional warnings** This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. **SECTION 3: Composition/information on ingredients** 3.1. Substances Not applicable. This product is a mixture. 3.2. Mixtures

Product/substance Identifiers Classification Note % w/w 1-Heptanol, 2-propyl-, 8EO 1-3% Acute Tox. 4, H302 CAS No.: 160875-66-1 Eye Dam. 1, H318 EC No.: UK-REACH: Index No.: Potassium carbonate 1-3% Skin Irrit. 2, H315 CAS No.: 584-08-7 Eye Irrit. 2, H319 EC No.: 209-529-3 STOT SE 3, H335 UK-REACH: Index No.: (2-<1% [1] CAS No.: 34590-94-8 methoxymethylethoxy)propanol EC No.: 252-104-2 UK-REACH: Index No.:

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available. **Other information**

[1] European occupational exposure limit.

Labelling of contents according to Detergents Regulation (EC) No 648/2004

< 5%

· Non-ionic surfactants

· Perfumes

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.



Inhalation Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her. **Skin contact** Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance. Eye contact Upon irritation of the eye: Remove contact lenses. Flush eyes immediately with plenty of water or isotonic water (20-30 °C) for at least 5 minutes and continue until irritation stops. Make sure to flush under upper and lower eyelids. If irritation continues, contact a doctor. Continue flushing during transport. Ingestion If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material. **Burns** Not applicable. 4.2. Most important symptoms and effects, both acute and delayed This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure. 4.3. Indication of any immediate medical attention and special treatment needed If eye irritation persists: Get medical advice/attention. Information to medics Bring this safety data sheet or the label from this product. SECTION 5: Firefighting measures 5.1. Extinguishing media Not applicable. 5.2. Special hazards arising from the substance or mixture Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters. If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are: Carbon oxides (CO / CO2) Some metal oxides 5.3. Advice for firefighters Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice. SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures No specific requirements. **6.2. Environmental precautions** Avoid discharge to lakes, streams, sewers, etc. 6.3. Methods and material for containment and cleaning up Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents. 6.4. Reference to other sections See section 13 "Disposal considerations" on handling of waste. See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.



7.2. Conditions for sa Containers that Recommended st Always store in Storage temperat	afe storage, including any t have been opened must b corage material containers of the same ma ture	protection" for information o incompatibilities e carefully resealed and kept terial as the original containe	upright to prevent leakage.			
	Room temperature 18 to 23°C					
7.3. Specific end use	trong bases, strong oxidizin <mark>(s)</mark>	g agents, and strong reducin cations quoted in section 1.2.				
	controls/personal protect	· ·				
Long term expo Long term expo Annotations: Sk = Can be abs The Control of S EH40/2005 Wor	thylethoxy)propanol osure limit (8 hours) (ppm): osure limit (8 hours) (mg/m sorbed through the skin an): 308 l lead to systemic toxicity. ealth Regulations 2002. SI 200	02/2677 The Stationery Office 2002.			
Duration:	Route of exposure:		DNEL:			
Long term – Sys effects - Genera population	stemic Dermal		121 mg/kg bw/day			
Long term – Sys effects - Worker			283 mg/kg bw/day			
Long term – Sys effects - Genera population			37.2 mg/m³			
Long term – Sys effects - Worker			308 mg/kg			
Long term – Sys effects - Genera population			36 mg/kg bw/day			
Potassium carb						
Duration:	Route of exposure:		DNEL:			
Long term – Loo effects - Genera population			8 mg/cm²			
Long term – Loo effects - Worker			16 mg/cm²			
Long term – Loo effects - Genera population			10 mg/m³			
Long term – Loo effects - Worker			10.0 mg/m³			
PNEC						



Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		19 mg/L
Freshwater sediment		70.2 mg/kg
Intermittent release		190 mg/L
Marine water		1.9 mg/L
Marine water sediment		7.02 mg/kg
Sewage treatment plant		4168 mg/L
Soil		2.74 mg/kg

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure

No specific requirements.

Individual protection measures, such as personal protective equipment

Generally

Use only UKCA marked protective equipment.

Respiratory Equipment

No specific requirements

Skin protection

No specific requirements.

Hand protection

MaterialGlove thickness (mm)Breakthrough time (min.)StandardsNitrileEN374-2Image: Comparison of the comparison		_		
re protection Type Standards Safety glasses with side EN166	-	-	EN37/-2	
Type Standards Safety glasses with side EN166				
Safety glasses with side EN166				
	Standards			
	e EN166			\bigcirc
ON 9: Physical and che		e EN166	e EN166	e EN166

9.1. Information on basic physical and chemical properties



Physical state	
Liquid	
Colour	
Red	
Odour / Odour threshold	
Lemon like	
pH	
11.3	
Density (g/cm³)	
1.02	
Kinematic viscosity	
Testing not relevant or not possible due to the nature of the product.	
Particle characteristics	
Does not apply to liquids.	
Phase changes	
Melting point/Freezing point (°C)	
Testing not relevant or not possible due to the nature of the product.	
Softening point/range (waxes and pastes) (°C)	
Does not apply to liquids.	
Boiling point (°C)	
Testing not relevant or not possible due to the nature of the product.	
Vapour pressure	
Testing not relevant or not possible due to the nature of the product.	
Relative vapour density	
Testing not relevant or not possible due to the nature of the product.	
Decomposition temperature (°C)	
Testing not relevant or not possible due to the nature of the product.	
Data on fire and explosion hazards	
Flash point (°C)	
Testing not relevant or not possible due to the nature of the product.	
Flammability (°C)	
Testing not relevant or not possible due to the nature of the product.	
Auto-ignition temperature (°C)	
Testing not relevant or not possible due to the nature of the product.	
Lower and upper explosion limit (% v/v)	
Testing not relevant or not possible due to the nature of the product.	
Solubility	
Solubility in water	
Completely soluble	
n-octanol/water coefficient	
Testing not relevant or not possible due to the nature of the product.	
Solubility in fat (g/L)	
Testing not relevant or not possible due to the nature of the product.	
9.2. Other information	
Other physical and chemical parameters	
No data available.	
SECTION 10: Stability and reactivity	_
10.1. Reactivity	
No data available.	
10.2. Chemical stability	
The product is stable under the conditions, noted in section 7 "Handling and storage".	
10.3. Possibility of hazardous reactions	
None known.	
10.4. Conditions to avoid	
None known.	
10.5. Incompatible materials	
Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.	



TION 11: Toxicological information .1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity		
Species:	Rat	
Route of exposure:	Oral	
Test:	LD50	
Result:	>300-2000 mg/kg	
Product/substance	Potassium carbonate	
Species:	Rat	
Route of exposure:	Oral	
Test:	LD50	
Result:	>2000 mg/kg	
Product/substance	Potassium carbonate	
Species:	Rat	
Route of exposure:	Inhalation	
Test:	LC50 (dust)	
Result:	>4.96 mg/L	
Product/substance	Potassium carbonate	
Species:	Rabbit	
Route of exposure:	Dermal	
Test:	LD50	
Result:	>2000 mg/kg	
Product/substance	(2-methoxymethylethoxy)propanol	
Species:	Rat	
Route of exposure:	Oral	
Test:	LD50	
Result:	>5000 mg/kg	
Product/substance	(2-methoxymethylethoxy)propanol	
Species:	Rabbit	
Route of exposure:	Dermal	
Test:	LD50	
Result:	9510 mg/kg	
Product/substance	(2-methoxymethylethoxy)propanol	
Species:	Rat	
Route of exposure:	Inhalation	
Test:	LC50	
Result:	3.35 mg/L	
	Sissing, E	
Skin corrosion/irritati	ion	
Based on available of	data, the classification criteria are not met.	
Serious eye damage/i	rritation	
Causes serious eye		
Respiratory sensitisat Based on available of	lion	



Based on available data, the classification criteria are not met.
Germ cell mutagenicity
Based on available data, the classification criteria are not met.
Carcinogenicity
Based on available data, the classification criteria are not met.
Reproductive toxicity
Based on available data, the classification criteria are not met.
STOT-single exposure
Based on available data, the classification criteria are not met.
STOT-repeated exposure
Based on available data, the classification criteria are not met.
Aspiration hazard
Based on available data, the classification criteria are not met.
11.2. Information on other hazards
Long term effects
This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure
may result in an increased absorption potential of other hazardous substances at the area of exposure.
Endocrine disrupting properties
Not applicable.
Other information
None known.

SECTION 12: Ecological information

12.1. Toxicity

Product/substance	1-Heptanol, 2-propyl- , 8EO
Species:	Fish, Oncorhynchus mykiss
Duration:	96 hours
Test:	LC50
Result:	10-100 mg/L
Product/substance	1-Heptanol, 2-propyl- , 8EO
Species:	Daphnia, Daphnia magna
Duration:	48 hours
Test:	EC50
Result:	10-100 mg/L
Product/substance	1-Heptanol, 2-propyl- , 8EO
Species:	Algae, Scenedesmus subspicatus
Duration:	72 hours
Test:	EC50
Result:	10-100 mg/L
Product/substance	Potassium carbonate
Species:	Fish, Oncorhynchus mykiss
Duration:	96 hours
Test:	LC50
Result:	68 mg/L
Product/substance	Potassium carbonate
Species:	Fish, Oncorhynchus mykiss
Duration:	96 hours
Test:	NOEC
Result:	33 mg/L
Product/substance	Potassium carbonate



	Spocios:	
	Species: Duration:	Daphnia, Daphnia pulex 48 hours
	Test:	EC50
	Result:	200 mg/L
	Product/substance	Potassium carbonate
	Species:	Daphnia, Daphnia pulex
	Duration:	48 hours
	Test:	NOEC
	Result:	120 mg/L
	Product/substance	(2-methoxymethylethoxy)propanol
	Species:	Fish, Poecilia reticulata
	Duration:	96 hours
	Test:	LC50
	Result:	>1000 mg/L
	Product/substance	(2-methoxymethylethoxy)propanol
		Daphnia, Daphnia magna
	Species:	
	Duration:	48 hours
	Test:	EC50
	Result:	1919 mg/L
	Product/substance	(2-methoxymethylethoxy)propanol
	Species:	Daphnia, Daphnia magna
	Duration:	22 d
	Test:	NOEC
	Result:	0.5 mg/L
		0.0 mg/ 2
	Product/substance	(2-methoxymethylethoxy)propanol
	Species:	Algae, Pseudokirchneriella subcapitata
	Duration:	72 hours
	Test:	EC50
		>969 mg/L
	Result:	
12.2.	Persistence and deg	gradability
	Product/substance	1-Heptanol, 2-propyl- , 8EO
	Biodegradable:	Yes
	Test method:	OECD 301 D
	Result:	
	Product/substance	(2-methoxymethylethoxy)propanol
	Biodegradable:	Yes
	Test method:	OECD 301 F
	Result:	75%
	Resull.	
12.3.	Bioaccumulative po	otential
	Product/substance	1-Heptanol, 2-propyl- , 8EO
	Test method:	
	Potential	No
	bioaccumulation:	
	LogPow:	No data available.
	BCF:	No data available.
	DCF.	



(Other information:					
	Product/substance Test method:	Potassium carbonate				
F	Potential pioaccumulation:	No				
L	LogPow:	No data available.				
	BCF: No data available.					
(Other information:					
	Product/substance (2-methoxymethylethoxy)propanol Test method:					
	Potential	No				
	bioaccumulation: LogPow:	0.0060				
	BCF:	No data available.				
	Other information:					
12.4. N	lobility in soil					
(L	2-methoxymethyl _ogKoc = 0.28, Hig	ethoxy)propanol h mobility potential. l vPvB assessment				
T	This mixture/prod	uct does not contain any subst	ances considered to r	neet the c	riteria class	sifying them as PBT
	and/or vPvB. <mark>ndocrine disrupt</mark> i	ing properties				
	Not applicable.					
	ther adverse eff e None known.	ects				
	13: Disposal cor	siderations				
	-					
F C F	Dispose of content Regulation (EU) No	bds by the regulations on hazardo s/container to an approved wa 0 1357/2014 of 18 December 2	aste disposal plant.	ned and a	mended in	UK law.
EWC co	07.06					
	04* Other of	organic solvents, washing liqui	ds and mother liquor	S		
Contar	 Specific labelling Not applicable. Contaminated packing Packaging containing residues of the product must be disposed of similarly to the product. 					
	N 14: Transport in		ľ		1	
	14.1 UN / II	D 14.2 UN proper shipping name	e 14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
	ADR -	-	-	-	-	-
	IMDG -	-	-	-	-	-
	IATA					
 * Packing group ** Environmental hazards Additional information Not dangerous goods according to ADR, IATA and IMDG. 14.6. Special precautions for user Not applicable. 						



14.7. Maritime transport in bulk according to IMO instruments No data available.
ECTION 15: Regulatory information
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
Restrictions for application
No special.
Demands for specific education
No specific requirements.
SEVESO - Categories / dangerous substances
Not applicable.
Additional information
The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down
in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion
are held at the disposal of the competent authorities of the Member States and will be made available to them,
at their direct request or at the request of a detergent manufacturer.
Sources
Regulation (EC) No 648/2004 on detergents as retained and amended in UK law.
Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.
Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as
retained and amended in UK law.
Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of
Chemicals (REACH) as retained and amended in UK law.
15.2. Chemical safety assessment
No
ECTION 16: Other information
Full text of H-phrases as mentioned in section 3
H302, Harmful if swallowed.
H315, Causes skin irritation.
H318, Causes serious eye damage.
H319, Causes serious eye irritation.
H335, May cause respiratory irritation.
Abbreviations and acronyms
ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
CAS = Chemical Abstracts Service
CE = Conformité Européenne
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
CSA = Chemical Safety Assessment
CSR = Chemical Safety Report
DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level
EINECS = European Inventory of Existing Commercial chemical Substances
ES = Exposure Scenario
EUH statement = CLP-specific Hazard statement
EWC = European Waste Catalogue
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IARC = International Agency for Research on Cancer (IARC)
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the
Protocol of 1978. ("Marpol" = marine pollution)
OECD = Organisation for Economic Co-operation and Development



PBT = Persistent, Bioaccumulative and Toxic
PNEC = Predicted No Effect Concentration
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
RRN = REACH Registration Number
SCL = A specific concentration limit
SVHC = Substances of Very High Concern
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure
STOT-SE = Specific Target Organ Toxicity - Single Exposure
TWA = Time weighted average
UN = United Nations
UVBC = Unknown or variable composition, complex reaction products or of biological materials
VOC = Volatile Organic Compound
vPvB = Very Persistent and Very Bioaccumulative
Additional information
The classification of the substance/mixture in regard of health hazards are in accordance with the calculation
methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.
The safety data sheet is validated by
-
Other
A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a
blue triangle.
The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not
necessarily correct for use with other chemicals/products.
It is recommended to hand over this safety data sheet to the actual user of the product. Information in this
safety data sheet cannot be used as a product specification.
Country-language: GB-en